


NON REVERSIBLE TEMPERATURE LABEL

MADE IN JAPAN



Solutions for temperature monitoring

Temperature is an important factor in all of our lives, supporting safety and quality in every field and category of business. Temperature monitoring is indispensable in fields such as process control, quality assurance, maintenance of machine/machinery, distribution, and infrastructure.

Product Features

Lamination


Laminate protects the indicator from dirt and water. The laminate is a highly visible orange.

Self-adhesive

An adhesive on the reverse side allows the Temperature Label to be easily applied just by peeling the backing.

Dual temperature scale

The Celsius temperature scale is easily noted and the corresponding Fahrenheit temperature is also displayed.




Non-reversible

Once the temperature rises above a set point the temperature indicator does not erase the reading so past readings are not lost.

Indicator

As temperatures rise, the indicator will immediately change from white to black. (Such as when the monitored temperature rises above a desired set point.)

Applications



NiGK Corporation

NON REVERSIBLE TEMPERATURE LABEL

The label images shown above are only for illustrative purposes and do not refer to an actual result of discoloration at the time of temperature rise.



A series 10°C Pitch



3 Level
40 pcs per PACK



T3-60A
Heat Range
60°C → 80°C
140°F → 176°F

T3-70A
Heat Range
70°C → 90°C
158°F → 194°F

T3-80A
Heat Range
80°C → 100°C
176°F → 212°F

T3-100A
Heat Range
100°C → 120°C
212°F → 248°F


5 Level
40 pcs per PACK



T5-50A
Heat Range
50°C → 90°C
122°F → 194°F

T5-60A
Heat Range
60°C → 100°C
140°F → 212°F


8 Level
40 pcs per PACK



T8-50A
Heat Range
50°C → 120°C
122°F → 248°F

B series 5°C Pitch

5 Level
40 pcs per PACK




T5-50B
Heat Range
50°C → 70°C
122°F → 158°F

T5-65B
Heat Range
65°C → 85°C
149°F → 185°F


T5-75B
Heat Range
75°C → 95°C
167°F → 203°F

T5-100B
Heat Range
100°C → 120°C
212°F → 248°F

8 Level
40 pcs per PACK




T8-60B
Heat Range
60°C → 95°C
140°F → 203°F



T1 series One Point

1 Level
40 pcs per PACK



T1-70
Heat Range
70°C
158°F

T1-75
Heat Range
75°C
167°F

T1-80
Heat Range
80°C
176°F

T1-85
Heat Range
85°C
185°F

T1-90
Heat Range
90°C
194°F

T1-95
Heat Range
95°C
203°F

T1-100
Heat Range
100°C
212°F

How to choose

T8 series wide type is the best model when you define the range of temperature change of the object. You can choose the types of fewer levels like T5 and T3 if the temperature range is smaller. T1 is the best option when threshold temperature is defined and more visible size is preferred. According to the gap between levels you can choose A type(10°C pitch) or B type(5°C).

- We do not assume any responsibility for defect, damage, or injury caused when the label is used in a way deviating from the normal purpose of use or when the product has been modified.
- This product will not insure the temperature accuracy in all operating environments or usage.
- We do not bear any responsibility for malfunction with respect to performance due to process control or maintenance management through the use of this product.
- For details, refer to our website (URL or QR code).

Distributor

NiGK Corporation

Overseas Business Development Division

TOKYU BLDG. EAST NO.5
2-25-5 Minami-ikebukuro, Toshima, Tokyo, 171-0022 Japan

Tel. +81-3-3986-3910 (English)

Fax. +81-3-3983-8286

E-mail indicators@nichigi.co.jp

Website https://nigkglobal.com



MADE IN JAPAN

©2024 NiGK Corp. All rights reserved.